

## signJET VF5001

Glossy polymeric vinyl film B1

### Product description:

Glossy white polymeric vinyl film, 7 year working life, permanent grey adhesive for flat and slightly curved substrates, suitable for indoor and outdoor use, certified fire-retardant according to DIN 4102-B1 on FOREX Classic.

### Specific feature:

VF5001 is a polymer softened, calendered vinyl-film with a glossy white surface. Prints on VF5001 are characterized by promotionally effective colour effects. The grey pigmented dispersionsacrylat adhesive covers the background thoroughly. The backliner made of PE-coated paperliner assures good flatness during the complete work process. The product can be used in- and outdoor and can be pasted easily on curved surfaces. The film is REACH conform and offers a life of 7 years.

### Processing:

For quality reasons, it must be handled and stored in atmospheres with approx. 50% relative humidity and at a temperature of 23°C in the original packaging in a cool, dry, clean and dust-free environment. We recommend that it is held for 24 hours before use, in the location where it is going to be used, to allow it to adapt to the climate. Avoid touching the inkjet layer. Wear cotton gloves. Please remove the roll out of the printer overnight to avoid liner delamination.

### Technical specification:

Material:	FOLIE
Application Area:	VOLL AUSSENBEREICHTAUGLICH
Surface:	GLAENZEND
Specific gravity:	70,00g/m <sup>2</sup>
Specific gravity carrier:	200,00g/m <sup>2</sup>
Specific gravity complete:	270,00g/m <sup>2</sup>
Thickness:	70,00µm
Thickness Carrier:	135,00µm
B1-cert.:	ja
Cold lamination:	ja
water resistant:	ja
scratch resistant:	ja
Klebkraft: 20 N/25mm:	
DIN ISO 16245	Nein

This information consists of standard values for your guidance. Before using our print media, please check their suitability to your printer and for your intended application. Taking account of technical development, product specifications may be amended without prior notice at any time. There is no guarantee that the same results can be achieved. We can not accept liability for any errors resulting from technical changes in printers and / or inks.