





Product and description	Data	Prices in €						
		per unit	per m <sup>2</sup>					
<b>Solvent Film</b>								
<b>RollUp 170S</b>								
<b>Satin PP-Display-Film, white back</b>								
<i>White satin tear resistant polypropylene film with water resistant coating for solvent and eco-solvent inks. Features high stability, print sharpness and colour brilliance.</i>	<b>170μ</b>	762 mm	40 m	1 Rll.	1315020334	<b>209,67</b>	<b>6,88</b>	
		36"	914 mm	5 m	1 Rll.	1315020430	<b>39,73</b>	<b>8,69</b>
		<b>3"</b>	841 mm	40 m	1 Rll.	1315020364	<b>206,39</b>	<b>6,14</b>
		36"	914 mm	40 m	1 Rll.	1315020434	<b>214,32</b>	<b>5,86</b>
		42"	1.067 mm	40 m	1 Rll.	1315020514	<b>250,20</b>	<b>5,86</b>
	54"	1.372 mm	40 m	1 Rll.	1315020594	<b>336,71</b>	<b>6,14</b>	
<b>Display &amp; Sticker</b>								
<b>Satin PP-Display-Film, self adhesive</b>								
<i>White satin tear resistant polypropylene film with water resistant coating for solvent and eco-solvent inks. Selfadhesive glue for easy application and remove. Features high stability, print sharpness and colour brilliance.</i>	<b>190μ</b>	762 mm	30 m	1 Rll.	1315400333	<b>310,88</b>	<b>13,60</b>	
		42"	1.067 mm	30 m	1 Rll.	1315400513	<b>421,58</b>	<b>13,17</b>
<b>RollUp 200S</b>								
<b>Solvent RollUp Film, satin</b>								
<i>Satin matt PP banner, waterproof and opaque, specifically designed for mobile RollUp displays, suitable for solvent and latex printers, very brilliant colours, high sharpness and durability without loss of colour.</i>	<b>220μ</b>	36"	914 mm	5 m	1 Rll.	1316001430	<b>40,89</b>	<b>8,95</b>
		36"	914 mm	40 m	1 Rll.	1316001434	<b>264,96</b>	<b>7,25</b>
		42"	1.067 mm	40 m	1 Rll.	1316001514	<b>309,32</b>	<b>7,25</b>
		54"	1.372 mm	40 m	1 Rll.	1316001594	<b>397,74</b>	<b>7,25</b>
<b>RollUp Silver 175M</b>								
<b>Professional Stoplight RollUp-Film, satin</b>								
<i>Matt coated polyester film for premium RollUp displays. Very good flatness and good colour brilliance, silver back side.</i>	<b>175μ</b>	36"	914 mm	3 m	1 Rll.	1315802430	<b>34,28</b>	<b>12,50</b>
		36"	914 mm	30 m	1 Rll.	1315802433	<b>249,85</b>	<b>9,11</b>
		42"	1.067 mm	30 m	1 Rll.	1315802513	<b>291,68</b>	<b>9,11</b>
		50"	1.270 mm	30 m	1 Rll.	1315802563	<b>347,17</b>	<b>9,11</b>
<b>RollUp 300S PRO</b>								
<b>Seidenmatter B1 RollUp-/Blockout-Film</b>								
<i>Seidenmatte RollUp Banner, blickdicht mit grauer Rückseite, Multilayer Composite speziell für mobile RollUp-Displays, universell geeignet, sehr gute Farbbrillanz, hohe Bildschärfe und lange Haltbarkeit ohne Farbverlust, B1 DIN 4102</i>	<b>320μ</b>	36"	914 mm	5 m	1 Rll.	1316600430	<b>47,23</b>	<b>10,33</b>
		36"	914 mm	30 m	1 Rll.	1316600433	<b>237,00</b>	<b>8,64</b>
			1.070 mm	30 m	1 Rll.	1316600513	<b>277,45</b>	<b>8,64</b>
		50"	1.270 mm	30 m	1 Rll.	1316600563	<b>329,31</b>	<b>8,64</b>
		54"	1.370 mm	30 m	1 Rll.	1316600593	<b>355,24</b>	<b>8,64</b>

Product and description	Data	Prices in €			
		per unit	per m <sup>2</sup>		
<b>PopUp 320S</b>					
<b>Satin coated PET-Blockout-Film</b>					
<i>Satin coated PET-Film for solvent and latex inks, very good opacity, developed for highly effective PopUp-Displays, very good color brilliance, tear-proof Polyester, suitable for high drying temperatures.</i>	<b>310μ</b>	36" 914 mm 5 m	1 Rll. 1316900430	<b>64,16</b>	<b>14,04</b>
		36" 914 mm 20 m	1 Rll. 1316900432	<b>216,48</b>	<b>11,84</b>
		42" 1.067 mm 20 m	1 Rll. 1316900512	<b>252,72</b>	<b>11,84</b>
<b>PopUp 430S B1</b>					
<b>Silk matte, hard PVC Stoplight Film</b>					
<i>Extra strong, opaque substrate made of hard PVC with a matte white, low-reflection surface, especially suited for mobile pop-up displays with high, ad-effective colour brilliance. Certified as highly flame-resistant, in accordance with DIN 4012-1 (B1).</i>		36" 914 mm 20 m	1 Rll. 1317110432	<b>287,37</b>	<b>15,72</b>
		42" 1.067 mm 20 m	1 Rll. 1317110512	<b>335,48</b>	<b>15,72</b>
		60" 1.520 mm 20 m	1 Rll. 1317110612	<b>477,91</b>	<b>15,72</b>
<b>ClearPrint 160</b>					
<b>Crystal clear polyester film</b>					
<i>Crystal clear polyester film, printable unilaterally with high resolution. Fulfills highest requirements in photo reproduction for shop window advertising and glass decorations. Brilliant and dynamic colour rendering, tear-resistant, dimension-stable and good flatness.</i>	<b>160μ</b>	24" 610 mm 5 m	1 Rll. 1318210250	<b>47,21</b>	<b>15,48</b>
		24" 610 mm 30 m	1 Rll. 1318210253	<b>257,79</b>	<b>14,09</b>
		36" 914 mm 30 m	1 Rll. 1318210433	<b>386,26</b>	<b>14,09</b>
		42" 1.067 mm 30 m	1 Rll. 1318210513	<b>450,92</b>	<b>14,09</b>
		50" 1.270 mm 30 m	1 Rll. 1318210563	<b>536,71</b>	<b>14,09</b>
<b>ClearPrint SK</b>					
<b>Solvent PET clear film selfadhesive</b>					
<i>Polyester Clear Film, glossy, self adhesive, for glass decoration and shop window advertisement. Single side coated, good scratch resistance, non-buckling. Brilliant colour reproduction.</i>	<b>75μ</b>	24" 610 mm 5 m	1 Rll. 1318200250	<b>54,06</b>	<b>17,72</b>
		24" 610 mm 20 m	1 Rll. 1318200252	<b>184,96</b>	<b>15,16</b>
		42" 1.067 mm 20 m	1 Rll. 1318200512	<b>323,52</b>	<b>15,16</b>
		54" 1.370 mm 20 m	1 Rll. 1318200592	<b>415,39</b>	<b>15,16</b>
<b>BackLight 210G</b>					
<b>Translucent Backlight-Film, glossy</b>					
<i>Translucent PET-Backlight Film for demanding graphic and advertising applications. The glossy solvent coating is specially designed for use in light boxes and is characterized by very high colour density and high colour contrast.</i>	<b>210μ</b>	762 mm 30 m	1 Rll. 1311500333	<b>164,22</b>	<b>7,18</b>
		36" 914 mm 5 m	1 Rll. 1311500430	<b>40,62</b>	<b>8,89</b>
		36" 914 mm 30 m	1 Rll. 1311500433	<b>196,98</b>	<b>7,18</b>
		42" 1.067 mm 30 m	1 Rll. 1311500513	<b>229,95</b>	<b>7,18</b>
		50" 1.270 mm 30 m	1 Rll. 1311500563	<b>273,70</b>	<b>7,18</b>
		54" 1.372 mm 30 m	1 Rll. 1311500593	<b>295,69</b>	<b>7,18</b>
		60" 1.524 mm 30 m	1 Rll. 1311500613	<b>328,44</b>	<b>7,18</b>
<b>BackLight 200M</b>					
<b>Translucent PET Backlight-Film, satin</b>					
<i>Translucent PET Backlight-Film for sophisticated graphic applications. The satin solvent coating was specially developed for use in light boxes and is characterized by very high color density and color contrast.</i>	<b>200μ</b>	36" 914 mm 3 m	1 Rll. 1311200430	<b>26,05</b>	<b>9,50</b>
		42" 1.067 mm 30 m	1 Rll. 1311200513	<b>212,22</b>	<b>6,63</b>
		54" 1.372 mm 30 m	1 Rll. 1311200593	<b>272,88</b>	<b>6,63</b>
		60" 1.524 mm 30 m	1 Rll. 1311200613	<b>303,11</b>	<b>6,63</b>

Product and description	Data	Prices in €	
		per unit	per m <sup>2</sup>





## Solvent Vinyls

### Monomeric Films

 <p><b>VF3000</b> <b>Glossy monomeric vinyl film B1</b> <i>Glossy white monomeric vinyl film, 4 year working life, permanent clear adhesive for flat substrates, suitable for indoor and outdoor use, certified fire-retardant according to DIN 4102-B1 on FOREX Classic.</i></p>	<b>100μ</b>		1.050 mm	50 m	1 Rll.	1320311515	<b>141,49</b>	<b>2,70</b>
		54"	1.372 mm	50 m	1 Rll.	1320311595	<b>184,88</b>	<b>2,70</b>
		60"	1.524 mm	50 m	1 Rll.	1320311615	<b>205,36</b>	<b>2,70</b>
 <p><b>VF3100</b> <b>Glossy monomer PVC Film</b> <i>White matt PVC monomere film with a permanent clear adhesive, durability for about 4 years, for plane in- and outdoor applications.</i></p>	<b>100μ</b>		1.050 mm	50 m	1 Rll.	1320301515	<b>141,49</b>	<b>2,70</b>
		54"	1.372 mm	50 m	1 Rll.	1320301595	<b>184,88</b>	<b>2,70</b>
		60"	1.524 mm	50 m	1 Rll.	1320301615	<b>205,36</b>	<b>2,70</b>
 <p><b>VF3011</b> <b>Glossy monomeric vinyl film B1</b> <i>Glossy white monomeric vinyl film, 4 year working life, grey adhesive is removable leaving no residue, certified fire-retardant according to DIN 4102-B1 on FOREX Classic.</i></p>	<b>100μ</b>		1.050 mm	50 m	1 Rll.	1320002515	<b>147,26</b>	<b>2,81</b>
		54"	1.372 mm	50 m	1 Rll.	1320002595	<b>192,42</b>	<b>2,81</b>
		60"	1.524 mm	50 m	1 Rll.	1320002615	<b>213,74</b>	<b>2,81</b>
			1.600 mm	50 m	1 Rll.	1320002625	<b>224,40</b>	<b>2,81</b>
 <p><b>VF3111</b> <b>Matt monomeric vinyl film B1</b> <i>Matt white monomeric vinyl film, 4 year working life, grey adhesive is removable leaving no residue, certified fire-retardant according to DIN 4102-B1 on FOREX Classic.</i></p>	<b>100μ</b>	54"	1.372 mm	50 m	1 Rll.	1320003595	<b>192,42</b>	<b>2,81</b>

Product and description	Data	Prices in €	
		per unit	per m <sup>2</sup>

## Polymeric Films

 <p><b>VF5000</b> <b>Glossy polymeric vinyl film B1</b> Glossy white polymeric vinyl film, 7 year working life, permanent clear adhesive for flat and slightly curved substrates, suitable for indoor and outdoor use, certified fire-retardant according to DIN 4102-B1 on FOREX Classic.</p>	<b>70μ</b>	54"	1.050 mm	50 m	1 Rll.	1321350515	<b>275,63</b>	<b>5,25</b>
		54"	1.372 mm	50 m	1 Rll.	1321350595	<b>360,15</b>	<b>5,25</b>
		60"	1.524 mm	50 m	1 Rll.	1321350615	<b>400,05</b>	<b>5,25</b>
 <p><b>VF5001</b> <b>Glossy polymeric vinyl film B1</b> Glossy white polymeric vinyl film, 7 year working life, permanent grey adhesive for flat and slightly curved substrates, suitable for indoor and outdoor use, certified fire-retardant according to DIN 4102-B1 on FOREX Classic.</p>	<b>70μ</b>	54"	1.050 mm	50 m	1 Rll.	1320004515	<b>275,63</b>	<b>5,25</b>
		54"	1.372 mm	50 m	1 Rll.	1320004595	<b>360,15</b>	<b>5,25</b>
		60"	1.524 mm	50 m	1 Rll.	1320004615	<b>400,05</b>	<b>5,25</b>
 <p><b>VF5012</b> <b>Glossy polymeric vinyl film B1</b> Glossy white polymeric vinyl film, 7 year working life, the "bubble free" grey adhesive is removable leaving no residue, for flat and slightly curved substrates, suitable for indoor and outdoor use, certified fire-retardant according to DIN 4102-B1 on FOREX Classic.</p>	<b>70μ</b>	54"	1.050 mm	50 m	1 Rll.	1321344515 ↑	<b>412,26</b>	<b>7,85</b>
		54"	1.372 mm	50 m	1 Rll.	1321344595 ↑	<b>538,68</b>	<b>7,85</b>
		60"	1.524 mm	50 m	1 Rll.	1321344615 ↑	<b>598,36</b>	<b>7,85</b>
 <p><b>VF9000 Frosty</b> <b>Matt polymer glass decorating film</b> Matt polymer glass decorating film with a 7 year shelf-life, clear adhesive, for flat, clear surfaces such as glass doors, honeycomb-structure glue for simple, bubble-free gluing.</p>	<b>80μ</b>	54"	1.372 mm	50 m	1 Rll.	1321366595	<b>655,45</b>	<b>9,55</b>