

Product and description	Data	Prices in €							
		per unit	per m ²						
Solvent Film									
signJET RollUp 170 S									
Satin PP-Display-Film, white back									
White satin tear resistant polypropylene film with water resistant coating for solvent and eco-solvent inks. Features high stability, print sharpness and colour brilliance.	170µ	762 mm	40 m	1 Rll.	1315020334	↑	142,95	4,69	
		36"	914 mm	5 m	1 Rll.	1315020430	↑	28,45	6,23
		36"	914 mm	40 m	1 Rll.	1315020434	↑	167,40	4,58
		42"	1.067 mm	40 m	1 Rll.	1315020514	↑	195,43	4,58
signJET RollUp 200S									
Satin PP-Display-Film, self adhesive									
White satin tear resistant polypropylene film with water resistant coating for solvent and eco-solvent inks. Selfadhesive glue for easy application and remove. Features high stability, print sharpness and colour brilliance.	190µ	762 mm	30 m	1 Rll.	1315400333	↑	196,93	8,61	
		42"	1.067 mm	30 m	1 Rll.	1315400513	↑	265,80	8,30
		54"	1.372 mm	30 m	1 Rll.	1315400593	↑	341,78	8,30
signJET RollUp 200S									
Solvent RollUp Film, satin									
Satin matt PP banner, waterproof and opaque, specifically designed for mobile RollUp displays, suitable for solvent and latex printers, very brilliant colours, high sharpness and durability without loss of colour.	220µ	36"	914 mm	5 m	1 Rll.	1316001430		32,12	7,03
		36"	914 mm	40 m	1 Rll.	1316001434	↑	194,45	5,32
		42"	1.067 mm	40 m	1 Rll.	1316001514	↑	227,00	5,32
		54"	1.372 mm	40 m	1 Rll.	1316001594	↑	291,88	5,32
signJET RollUp Silver 175 M									
Professional Stoplight RollUp-Film, satin									
Matt coated polyester film for premium RollUp displays. Very good flatness and good colour brilliance, silver back side.	175µ	36"	914 mm	3 m	1 Rll.	1315802430		26,51	9,67
		36"	914 mm	30 m	1 Rll.	1315802433	↑	186,57	6,80
		42"	1.067 mm	30 m	1 Rll.	1315802513	↑	217,80	6,80
		50"	1.270 mm	30 m	1 Rll.	1315802563	↑	259,23	6,80
signJET RollUp Silver 205 M									
Professional Stoplight RollUp-Film									
Matt coated polyester film for premium RollUp displays. Very good flatness and good colour brilliance, silver back side.	205µ	36"	914 mm	3 m	1 Rll.	1315402430		29,94	10,92
		36"	914 mm	30 m	1 Rll.	1315402433	↑	221,11	8,06
		42"	1.067 mm	30 m	1 Rll.	1315402513	↑	258,13	8,06
		50"	1.270 mm	30 m	1 Rll.	1315402563	↑	307,24	8,06
		60"	1.524 mm	30 m	1 Rll.	1315402613	↑	368,69	8,06
signJET RollUp Premium 190 M									
Stoplight Display Film, matt									
White matt Polyester-Banner with a light stopping inlay, waterproof. Well suited for mobile RollUp-Displays. We recommend lamination of the print for better mechanical resistance.	190µ	36"	914 mm	5 m	1 Rll.	1315901430	↑	61,40	13,43
		36"	914 mm	20 m	1 Rll.	1315901432	↑	214,51	11,73
		42"	1.067 mm	20 m	1 Rll.	1315901512	↑	250,42	11,73
		50"	1.270 mm	20 m	1 Rll.	1315901562	↑	298,06	11,73
		60"	1.524 mm	20 m	1 Rll.	1315901612	↑	357,68	11,73


Product and description	Data	Prices in €	
		per unit	per m ²
signJET RollUp 300S PRO			
Seidenmatter B1 RollUp-/Blockout-Film			
Seidenmatte RollUp Banner, blickdicht mit grauer Rückseite, Multilayer Composite	320μ 36" 914 mm 5 m	1 Rll. 1316600430	35,25 7,71
speziell für mobile RollUp-Displays, universell geeignet, sehr gute Farbbrillanz, hohe Bildschärfe und lange Haltbarkeit ohne Farbverlust, B1 DIN 4102	36" 914 mm 30 m	1 Rll. 1316600433	164,73 6,01
	1.070 mm 30 m	1 Rll. 1316600513	192,84 6,01
	50" 1.270 mm 30 m	1 Rll. 1316600563	228,89 6,01
	54" 1.370 mm 30 m	1 Rll. 1316600593	246,91 6,01
	3.200 mm 50 m	1 Rll. 1316600985	882,00 5,51
signJET PopUp 320S			
Satin coated PET-Blockout-Film			
Satin coated PET-Film for solvent and latex inks, very good opacity, developed for highly effective PopUp-Displays, very good color brilliance, tear-proof Polyester, suitable for high drying temperatures.	310μ 36" 914 mm 5 m	1 Rll. 1316900430	60,00 13,13
	36" 914 mm 20 m	1 Rll. 1316900432	200,51 10,97
	42" 1.067 mm 20 m	1 Rll. 1316900512	234,07 10,97
signJET PopUp 450S			
Rigid-PVC Stoptlight Film, white satin			
White satin PVC-Banner with a light stopping function, waterproof. Well suited for mobile PopUp-Displays. We recommend lamination of the print for better mechanical resistance.	450μ 36" 914 mm 5 m	1 Rll. 1317100430	44,28 9,69
	36" 914 mm 20 m	1 Rll. 1317100432	145,70 7,97
	42" 1.067 mm 20 m	1 Rll. 1317100512	170,09 7,97
	54" 1.372 mm 20 m	1 Rll. 1317100592	218,71 7,97
	6" 54" 1.372 mm 20 m	1 Rll. 1317106592	223,15 8,13
signJET PopUp 430S B1			
Silk matte, hard PVC Stoptlight Film			
Extra strong, opaque substrate made of hard PVC with a matte white, low-reflection	36" 914 mm 20 m	1 Rll. 1317110432	217,47 11,90
	42" 1.067 mm 20 m	1 Rll. 1317110512	253,87 11,90


Product and description	Data	Prices in €			
		per unit	per m ²		
signJET ClearPrint 160					
Crystal clear polyester film					
Crystal clear polyester film, printable unilaterally with high resolution. Fulfills highest requirements in photo reproduction for shop window advertising and glass decorations. Brilliant and dynamic colour rendering, tear-resistant, dimension-stable and good flatness.	160μ	24" 610 mm 5 m	1 RII. 1318210250	31,94	10,47
		24" 610 mm 30 m	1 RII. 1318210253 ↑	158,11	8,64
		36" 914 mm 30 m	1 RII. 1318210433 ↑	236,91	8,64
		42" 1.067 mm 30 m	1 RII. 1318210513 ↑	276,57	8,64
		50" 1.270 mm 30 m	1 RII. 1318210563 ↑	329,18	8,64
signJET ClearPrint SK					
Solvent PET clear film selfadhesive					
Polyester Clear Film, glossy, self adhesive, for glass decoration and shop window advertisement. Single side coated, good scratch resistance, non-buckling. Brilliant colour reproduction.	75μ	24" 610 mm 5 m	1 RII. 1318200250	42,02	13,78
		24" 610 mm 20 m	1 RII. 1318200252 ↑	136,68	11,20
		42" 1.067 mm 20 m	1 RII. 1318200512 ↑	239,08	11,20
		54" 1.370 mm 20 m	1 RII. 1318200592 ↑	306,98	11,20
signJET BackLight 210G					
Translucent Backlight-Film, glossy					
Translucent PET-Backlight Film for demanding graphic and advertising applications. The glossy solvent coating is specially designed for use in light boxes and is characterized by very high colour density and high colour contrast.	210μ	762 mm 30 m	1 RII. 1311500333 ↑	129,62	5,67
		36" 914 mm 5 m	1 RII. 1311500430	33,71	7,38
		36" 914 mm 30 m	1 RII. 1311500433 ↑	155,47	5,67
		42" 1.067 mm 30 m	1 RII. 1311500513 ↑	181,50	5,67
		50" 1.270 mm 30 m	1 RII. 1311500563 ↑	216,03	5,67
		54" 1.372 mm 30 m	1 RII. 1311500593 ↑	233,38	5,67
	60" 1.524 mm 30 m	1 RII. 1311500613 ↑	259,23	5,67	
signJET BackLight 200M					
Translucent PET Backlight-Film, satin					
Translucent PET Backlight-Film for sophisticated graphic applications. The satin solvent coating was specially developed for use in light boxes and is characterized by very high color density and color contrast.	200μ	36" 914 mm 5 m	1 RII. 1311200430	31,54	6,90
		36" 914 mm 30 m	1 RII. 1311200433 ↑	142,35	5,19
		42" 1.067 mm 30 m	1 RII. 1311200513 ↑	166,18	5,19
		54" 1.372 mm 30 m	1 RII. 1311200593 ↑	213,68	5,19
		60" 1.524 mm 30 m	1 RII. 1311200613 ↑	237,35	5,19


Product and description	Data	Prices in €	
		per unit	per m ²

Solvent Vinyls

Monomeric Films


 signJET VF3000 Glossy monomeric vinyl film B1 <i>Glossy white monomeric vinyl film, 4 year working life, permanent clear adhesive for flat substrates, suitable for indoor and outdoor use, certified fire-retardant according to DIN 4102-B1 on FOREX Classic.</i>	100μ							106,10	2,02	
		1.050 mm	50 m	1 Rll.	1320311515	↑				
		54" 1.372 mm	50 m	1 Rll.	1320311595	↑				
		60" 1.524 mm	50 m	1 Rll.	1320311615	↑				

 signJET VF3100 Glossy monomer PVC Film <i>White matt PVC monomere film with a permanent clear adhesive, durability for about 4 years, for plane in- and outdoor applications.</i>	100μ							19,60	3,73	
		1.050 mm	5 m	1 Rll.	1320301512	↑				
		1.050 mm	50 m	1 Rll.	1320301515	↑				
		54" 1.372 mm	50 m	1 Rll.	1320301595	↑				
60" 1.524 mm	50 m	1 Rll.	1320301615	↑			154,00	2,02		

 signJET VF3011 Glossy monomeric vinyl film B1 <i>Glossy white monomeric vinyl film, 4 year working life, grey adhesive is removable leaving no residue, certified fire-retardant according to DIN 4102-B1 on FOREX Classic.</i>	100μ							111,04	2,12	
		1.050 mm	50 m	1 Rll.	1320002515	↑				
		54" 1.372 mm	50 m	1 Rll.	1320002595	↑				
		60" 1.524 mm	50 m	1 Rll.	1320002615	↑				

 signJET VF3111 Matt monomeric vinyl film B1 <i>Matt white monomeric vinyl film, 4 year working life, grey adhesive is removable leaving no residue, certified fire-retardant according to DIN 4102-B1 on FOREX Classic.</i>	100μ							145,09	2,12
		54" 1.372 mm	50 m	1 Rll.	1320003595	↑			

Polymeric Films

 signJET VF5000 Glossy polymeric vinyl film B1 <i>Glossy white polymeric vinyl film, 7 year working life, permanent clear adhesive for flat and slightly curved substrates, suitable for indoor and outdoor use, certified fire-retardant according to DIN 4102-B1 on FOREX Classic.</i>	70μ							204,44	3,89	
		1.050 mm	50 m	1 Rll.	1321350515	↑				
		54" 1.372 mm	50 m	1 Rll.	1321350595	↑				
		60" 1.524 mm	50 m	1 Rll.	1321350615	↑				

Product and description	Data	Prices in €						
		per unit	per m ²					
signJET VF5001								
Glossy polymeric vinyl film B1								
Glossy white polymeric vinyl film, 7 year working life, permanent grey adhesive for flat and slightly curved substrates, suitable for indoor and outdoor use, certified fire-retardant according to DIN 4102-B1 on FOREX Classic.	70μ	1.050 mm	50 m	1 Rll.	1320004515 ↑	204,44	3,89	
		54"	1.372 mm	50 m	1 Rll.	1320004595 ↑	267,13	3,89
		60"	1.524 mm	50 m	1 Rll.	1320004615 ↑	296,72	3,89
signJET VF5012								
Glossy polymeric vinyl film B1								
Glossy white polymeric vinyl film, 7 year working life, the "bubble free" grey adhesive is removable leaving no residue, for flat and slightly curved substrates, suitable for indoor and outdoor use, certified fire-retardant according to DIN 4102-B1 on FOREX Classic.	70μ	1.050 mm	50 m	1 Rll.	1321344515 ↑	261,87	4,99	
		54"	1.372 mm	50 m	1 Rll.	1321344595 ↑	342,18	4,99
		60"	1.524 mm	50 m	1 Rll.	1321344615 ↑	380,09	4,99
signJET VF9000 Frosty								
Matt polymer glass decorating film								
Matt polymer glass decorating film with a 7 year shelf-life, clear adhesive, for flat, clear surfaces such as glass doors, honeycomb-structure glue for simple, bubble-free gluing.	80μ	54"	1.372 mm	50 m	1 Rll.	1321366595 ↑	509,74	7,43
		60"	1.524 mm	50 m	1 Rll.	1321366615 ↑	565,33	7,42

Cast Films

signJET VF6010								
White cast PVC-film								
Soft poured gloss cast PVC-film with a permanent solvent-based grey acrylic adhesive. We recommend this high quality film perfectly for car wrapping and 3D objects, app. 7 years outdoor durability	50μ	54"	1.372 mm	5 m	1 Rll.	1327300590 ↑	86,89	12,67
		54"	1.372 mm	50 m	1 Rll.	1327300595 ↑	725,79	10,58
		60"	1.524 mm	50 m	1 Rll.	1327300615 ↑	806,20	10,58