

Product and description	Data	Prices in €							
		per unit	per m ²						
Solvent Film									
signJET RollUp 170 S									
Satin PP-Display-Film, white back									
White satin tear resistant polypropylene film with water resistant coating for solvent and eco-solvent inks. Features high stability, print sharpness and colour brilliance.	170μ	762 mm	40 m	1 Rll.	1315020334	↑	163,76	5,37	
	36"	914 mm	5 m	1 Rll.	1315020430	↑	31,12	6,81	
	3"	841 mm	40 m	1 Rll.	1315020364	⬆	179,61	5,34	
	36"	914 mm	40 m	1 Rll.	1315020434	↑	185,17	5,06	
	42"	1.067 mm	40 m	1 Rll.	1315020514	↑	216,17	5,06	
signJET Display & Sticker 190									
Satin PP-Display-Film, self adhesive									
White satin tear resistant polypropylene film with water resistant coating for solvent and eco-solvent inks. Selfadhesive glue for easy application and remove. Features high stability, print sharpness and colour brilliance.	190μ	762 mm	30 m	1 Rll.	1315400333	↑	217,26	9,50	
	42"	1.067 mm	30 m	1 Rll.	1315400513	↑	293,98	9,18	
	54"	1.372 mm	30 m	1 Rll.	1315400593	↑	378,01	9,18	
signJET RollUp 200S									
Solvent RollUp Film, satin									
Satin matt PP banner, waterproof and opaque, specifically designed for mobile RollUp displays, suitable for solvent and latex printers, very brilliant colours, high sharpness and durability without loss of colour.	220μ	36"	914 mm	5 m	1 Rll.	1316001430	↑	34,85	7,63
		36"	914 mm	40 m	1 Rll.	1316001434	↑	216,48	5,92
		42"	1.067 mm	40 m	1 Rll.	1316001514	↑	252,72	5,92
		54"	1.372 mm	40 m	1 Rll.	1316001594	↑	324,96	5,92
signJET RollUp Silver 175 M									
Professional Stoplight RollUp-Film, satin									
Matt coated polyester film for premium RollUp displays. Very good flatness and good colour brilliance, silver back side.	175μ	36"	914 mm	3 m	1 Rll.	1315802430	↑	28,22	10,29
		36"	914 mm	30 m	1 Rll.	1315802433	↑	203,84	7,43
		42"	1.067 mm	30 m	1 Rll.	1315802513	↑	237,96	7,43
		50"	1.270 mm	30 m	1 Rll.	1315802563	↑	283,24	7,43
signJET RollUp Premium 190 M									
Stoplight Display Film, matt									
White matt Polyester-Banner with a light stopping inlay, waterproof. Well suited for mobile RollUp-Displays. We recommend lamination of the print for better mechanical resistance.	190μ	36"	914 mm	5 m	1 Rll.	1315901430	↑	66,46	14,54
		36"	914 mm	20 m	1 Rll.	1315901432	↑	234,81	12,85
		42"	1.067 mm	20 m	1 Rll.	1315901512	↑	274,12	12,85
		50"	1.270 mm	20 m	1 Rll.	1315901562	↑	326,27	12,85
		60"	1.524 mm	20 m	1 Rll.	1315901612	↑	391,52	12,85


Product and description	Data	Prices in €	
		per unit	per m ²
signJET RollUp 300S PRO			
Seidenmatter B1 RollUp-/Blockout-Film			
Seidenmatte RollUp Banner, blickdicht mit grauer Rückseite, Multilayer Composite	320μ 36" 914 mm 5 m	1 Rll. 1316600430	↑ 41,42 9,06
speziell für mobile RollUp-Displays, universell geeignet, sehr gute Farbbrillanz, hohe Bildschärfe und lange Haltbarkeit ohne Farbverlust, B1 DIN 4102	36" 914 mm 30 m	1 Rll. 1316600433	↑ 202,06 7,37
	1.070 mm 30 m	1 Rll. 1316600513	↑ 236,55 7,37
	50" 1.270 mm 30 m	1 Rll. 1316600563	↑ 280,77 7,37
	54" 1.370 mm 30 m	1 Rll. 1316600593	↑ 302,87 7,37
	3.200 mm 50 m	1 Rll. 1316600985	↑ 1.081,92 6,76
signJET PopUp 320S			
Satin coated PET-Blockout-Film			
Satin coated PET-Film for solvent and latex inks, very good opacity, developed for highly effective PopUp-Displays, very good color brilliance, tear-proof Polyester, suitable for high drying temperatures.	310μ 36" 914 mm 5 m	1 Rll. 1316900430	↑ 64,16 14,04
	36" 914 mm 20 m	1 Rll. 1316900432	↑ 216,48 11,84
	42" 1.067 mm 20 m	1 Rll. 1316900512	↑ 252,72 11,84
signJET PopUp 450S			
Rigid-PVC Stoptlight Film, white satin			
White satin PVC-Banner with a light stopping function, waterproof. Well suited for mobile PopUp-Displays. We recommend lamination of the print for better mechanical resistance.	450μ 36" 914 mm 5 m	1 Rll. 1317100430	↑ 45,76 10,01
	36" 914 mm 20 m	1 Rll. 1317100432	↑ 157,54 8,62
	42" 1.067 mm 20 m	1 Rll. 1317100512	↑ 183,92 8,62
	54" 1.372 mm 20 m	1 Rll. 1317100592	↑ 236,49 8,62
	6" 54" 1.372 mm 20 m	1 Rll. 1317106592	↑ 236,49 8,62
signJET PopUp 430S B1			
Silk matte, hard PVC Stoptlight Film			
Extra strong, opaque substrate made of hard PVC with a matte white, low-reflection	36" 914 mm 20 m	1 Rll. 1317110432	↑ 241,03 13,19
	42" 1.067 mm 20 m	1 Rll. 1317110512	↑ 281,38 13,19


Product and description	Data	Prices in €							
		per unit	per m ²						
signJET ClearPrint 160									
Crystal clear polyester film									
<i>Crystal clear polyester film, printable unilaterally with high resolution. Fulfills highest requirements in photo reproduction for shop window advertising and glass decorations. Brilliant and dynamic colour rendering, tear-resistant, dimension-stable and good flatness.</i>	160μ	24"	610 mm	5 m	1 Rll.	1318210250	↑	33,80	11,08
		24"	610 mm	30 m	1 Rll.	1318210253	↑	169,31	9,25
		36"	914 mm	30 m	1 Rll.	1318210433	↑	253,69	9,25
		42"	1.067 mm	30 m	1 Rll.	1318210513	↑	296,16	9,25
		50"	1.270 mm	30 m	1 Rll.	1318210563	↑	352,50	9,25
signJET ClearPrint SK									
Solvent PET clear film selfadhesive									
<i>Polyester Clear Film, glossy, self adhesive, for glass decoration and shop window advertisement. Single side coated, good scratch resistance, non-buckling. Brilliant colour reproduction.</i>	75μ	24"	610 mm	5 m	1 Rll.	1318200250	↑	46,79	15,34
		24"	610 mm	20 m	1 Rll.	1318200252	↑	155,85	12,77
		42"	1.067 mm	20 m	1 Rll.	1318200512	↑	272,60	12,77
		54"	1.370 mm	20 m	1 Rll.	1318200592	↑	350,02	12,77
signJET BackLight 210G									
Translucent Backlight-Film, glossy									
<i>Translucent PET-Backlight Film for demanding graphic and advertising applications. The glossy solvent coating is specially designed for use in light boxes and is characterized by very high colour density and high colour contrast.</i>	210μ		762 mm	30 m	1 Rll.	1311500333	↑	142,82	6,25
		36"	914 mm	5 m	1 Rll.	1311500430	↑	36,34	7,95
		36"	914 mm	30 m	1 Rll.	1311500433	↑	171,31	6,25
		42"	1.067 mm	30 m	1 Rll.	1311500513	↑	199,99	6,25
		50"	1.270 mm	30 m	1 Rll.	1311500563	↑	238,04	6,25
		54"	1.372 mm	30 m	1 Rll.	1311500593	↑	257,16	6,25
	60"	1.524 mm	30 m	1 Rll.	1311500613	↑	285,65	6,25	
signJET BackLight 200M									
Translucent PET Backlight-Film, satin									
<i>Translucent PET Backlight-Film for sophisticated graphic applications. The satin solvent coating was specially developed for use in light boxes and is characterized by very high color density and color contrast.</i>	200μ	36"	914 mm	5 m	1 Rll.	1311200430	↑	33,67	7,37
		36"	914 mm	30 m	1 Rll.	1311200433	↑	155,21	5,66
		42"	1.067 mm	30 m	1 Rll.	1311200513	↑	181,19	5,66
		54"	1.372 mm	30 m	1 Rll.	1311200593	↑	232,98	5,66
		60"	1.524 mm	30 m	1 Rll.	1311200613	↑	258,79	5,66


Product and description	Data	Prices in €	
		per unit	per m ²

Solvent Vinyls

Monomeric Films


Product and description	Data	Prices in €					
		per unit	per m ²				
 signJET VF3000 Glossy monomeric vinyl film B1 Glossy white monomeric vinyl film, 4 year working life, permanent clear adhesive for flat substrates, suitable for indoor and outdoor use, certified fire-retardant according to DIN 4102-B1 on FOREX Classic.	100µ 54" 60"	1.050 mm	50 m	1 Rll.	1320311515 ↑	124,16	2,37
		1.372 mm	50 m	1 Rll.	1320311595 ↑	162,24	2,37
		1.524 mm	50 m	1 Rll.	1320311615 ↑	180,21	2,37




 signJET VF3100 Glossy monomer PVC Film White matt PVC monomere film with a permanent clear adhesive, durability for about 4 years, for plane in- and outdoor applications.	100µ 54" 60"	1.050 mm	5 m	1 Rll.	1320301512 ↑	21,57	4,11
		1.050 mm	50 m	1 Rll.	1320301515 ↑	124,16	2,37
		1.372 mm	50 m	1 Rll.	1320301595 ↑	162,24	2,37
		1.524 mm	50 m	1 Rll.	1320301615 ↑	180,21	2,37

 signJET VF3011 Glossy monomeric vinyl film B1 Glossy white monomeric vinyl film, 4 year working life, grey adhesive is removable leaving no residue, certified fire-retardant according to DIN 4102-B1 on FOREX Classic.	100µ 54" 60"	1.050 mm	50 m	1 Rll.	1320002515 ↑	129,94	2,48
		1.372 mm	50 m	1 Rll.	1320002595 ↑	169,79	2,48
		1.524 mm	50 m	1 Rll.	1320002615 ↑	188,60	2,48
		1.600 mm	50 m	1 Rll.	1320002625 ↑	198,00	2,48

 signJET VF3111 Matt monomeric vinyl film B1 Matt white monomeric vinyl film, 4 year working life, grey adhesive is removable leaving no residue, certified fire-retardant according to DIN 4102-B1 on FOREX Classic.	100µ 54"	1.372 mm	50 m	1 Rll.	1320003595 ↑	169,79	2,48
--	--------------------	----------	------	--------	--------------	---------------	-------------

Polymeric Films

 signJET VF5000 Glossy polymeric vinyl film B1 Glossy white polymeric vinyl film, 7 year working life, permanent clear adhesive for flat and slightly curved substrates, suitable for indoor and outdoor use, certified fire-retardant according to DIN 4102-B1 on FOREX Classic.	70µ 54" 60"	1.050 mm	50 m	1 Rll.	1321350515 ↑	242,55	4,62
		1.372 mm	50 m	1 Rll.	1321350595 ↑	316,93	4,62
		1.524 mm	50 m	1 Rll.	1321350615 ↑	352,04	4,62

Product and description	Data	Prices in €						
		per unit	per m ²					
 signJET VF5001 Glossy polymeric vinyl film B1								
Glossy white polymeric vinyl film, 7 year working life, permanent grey adhesive for flat and slightly curved substrates, suitable for indoor and outdoor use, certified fire-retardant according to DIN 4102-B1 on FOREX Classic.	70μ	1.050 mm	50 m	1 Rll.	1320004515 ↑	242,55	4,62	
	54"	1.372 mm	50 m	1 Rll.	1320004595 ↑	316,93	4,62	
	60"	1.524 mm	50 m	1 Rll.	1320004615 ↑	352,04	4,62	
 signJET VF5012 Glossy polymeric vinyl film B1								
Glossy white polymeric vinyl film, 7 year working life, the "bubble free" grey adhesive is removable leaving no residue, for flat and slightly curved substrates, suitable for indoor and outdoor use, certified fire-retardant according to DIN 4102-B1 on FOREX Classic.	70μ	1.050 mm	50 m	1 Rll.	1321344515 ↑	334,65	6,37	
	54"	1.372 mm	50 m	1 Rll.	1321344595 ↑	437,16	6,37	
	60"	1.524 mm	50 m	1 Rll.	1321344615 ↑	485,58	6,37	
 signJET VF9000 Frosty Matt polymer glass decorating film								
Matt polymer glass decorating film with a 7 year shelf-life, clear adhesive, for flat, clear surfaces such as glass doors, honeycomb-structure glue for simple, bubble-free gluing.	80μ	54"	1.372 mm	50 m	1 Rll.	1321366595 ↑	580,74	8,47
		60"	1.524 mm	50 m	1 Rll.	1321366615 ↑	644,19	8,45