





Product and description	Data	Prices in €					
		per unit	per m ²				
Solvent Film							
RollUp 170S							
Satin PP-Display-Film, white back							
<i>White satin tear resistant polypropylene film with water resistant coating for solvent and eco-solvent inks. Features high stability, print sharpness and colour brilliance.</i>	170μ	762 mm	40 m	1 Rll.	1315020334	209,67	6,88
		36" 914 mm	5 m	1 Rll.	1315020430	39,73	8,69
	3"	841 mm	40 m	1 Rll.	1315020364	206,39	6,14
		36" 914 mm	40 m	1 Rll.	1315020434	214,32	5,86
		42" 1.067 mm	40 m	1 Rll.	1315020514	250,20	5,86
		54" 1.372 mm	40 m	1 Rll.	1315020594	336,71	6,14
Display & Sticker							
Satin PP-Display-Film, self adhesive							
<i>White satin tear resistant polypropylene film with water resistant coating for solvent and eco-solvent inks. Selfadhesive glue for easy application and remove. Features high stability, print sharpness and colour brilliance.</i>	190μ	762 mm	30 m	1 Rll.	1315400333	310,88	13,60
		42" 1.067 mm	30 m	1 Rll.	1315400513	421,58	13,17
RollUp 200S							
Solvent RollUp Film, satin							
<i>Satin matt PP banner, waterproof and opaque, specifically designed for mobile RollUp displays, suitable for solvent and latex printers, very brilliant colours, high sharpness and durability without loss of colour.</i>	220μ	36" 914 mm	5 m	1 Rll.	1316001430	40,89	8,95
		36" 914 mm	40 m	1 Rll.	1316001434	264,96	7,25
		42" 1.067 mm	40 m	1 Rll.	1316001514	309,32	7,25
		54" 1.372 mm	40 m	1 Rll.	1316001594	397,74	7,25
RollUp Silver 175M							
Professional Stoplight RollUp-Film, satin							
<i>Matt coated polyester film for premium RollUp displays. Very good flatness and good colour brilliance, silver back side.</i>	175μ	36" 914 mm	3 m	1 Rll.	1315802430	34,28	12,50
		36" 914 mm	30 m	1 Rll.	1315802433	249,85	9,11
		42" 1.067 mm	30 m	1 Rll.	1315802513	291,68	9,11
		50" 1.270 mm	30 m	1 Rll.	1315802563	347,17	9,11
RollUp 300S PRO							
Seidenmatter B1 RollUp-/Blockout-Film							
<i>Seidenmatte RollUp Banner, blickdicht mit grauer Rückseite, Multilayer Composite speziell für mobile RollUp-Displays, universell geeignet, sehr gute Farbbrillanz, hohe Bildschärfe und lange Haltbarkeit ohne Farbverlust, B1 DIN 4102</i>	320μ	36" 914 mm	5 m	1 Rll.	1316600430	47,23	10,33
		36" 914 mm	30 m	1 Rll.	1316600433	237,00	8,64
		1.070 mm	30 m	1 Rll.	1316600513	277,45	8,64
		50" 1.270 mm	30 m	1 Rll.	1316600563	329,31	8,64
		54" 1.370 mm	30 m	1 Rll.	1316600593	355,24	8,64

Product and description	Data	Prices in €			
		per unit	per m ²		
PopUp 320S					
Satin coated PET-Blockout-Film					
<i>Satin coated PET-Film for solvent and latex inks, very good opacity, developed for highly effective PopUp-Displays, very good color brilliance, tear-proof Polyester, suitable for high drying temperatures.</i>	310μ	36" 914 mm 5 m	1 Rll. 1316900430	64,16	14,04
		36" 914 mm 20 m	1 Rll. 1316900432	216,48	11,84
		42" 1.067 mm 20 m	1 Rll. 1316900512	252,72	11,84
PopUp 430S B1					
Silk matte, hard PVC Stoplight Film					
<i>Extra strong, opaque substrate made of hard PVC with a matte white, low-reflection surface, especially suited for mobile pop-up displays with high, ad-effective colour brilliance. Certified as highly flame-resistant, in accordance with DIN 4012-1 (B1).</i>		36" 914 mm 20 m	1 Rll. 1317110432	287,37	15,72
		42" 1.067 mm 20 m	1 Rll. 1317110512	335,48	15,72
		60" 1.520 mm 20 m	1 Rll. 1317110612	477,91	15,72
ClearPrint 160					
Crystal clear polyester film					
<i>Crystal clear polyester film, printable unilaterally with high resolution. Fulfills highest requirements in photo reproduction for shop window advertising and glass decorations. Brilliant and dynamic colour rendering, tear-resistant, dimension-stable and good flatness.</i>	160μ	24" 610 mm 5 m	1 Rll. 1318210250	47,21	15,48
		24" 610 mm 30 m	1 Rll. 1318210253	257,79	14,09
		36" 914 mm 30 m	1 Rll. 1318210433	386,26	14,09
		42" 1.067 mm 30 m	1 Rll. 1318210513	450,92	14,09
		50" 1.270 mm 30 m	1 Rll. 1318210563	536,71	14,09
ClearPrint SK					
Solvent PET clear film selfadhesive					
<i>Polyester Clear Film, glossy, self adhesive, for glass decoration and shop window advertisement. Single side coated, good scratch resistance, non-buckling. Brilliant colour reproduction.</i>	75μ	24" 610 mm 5 m	1 Rll. 1318200250	54,06	17,72
		24" 610 mm 20 m	1 Rll. 1318200252	184,96	15,16
		42" 1.067 mm 20 m	1 Rll. 1318200512	323,52	15,16
		54" 1.370 mm 20 m	1 Rll. 1318200592	415,39	15,16
BackLight 210G					
Translucent Backlight-Film, glossy					
<i>Translucent PET-Backlight Film for demanding graphic and advertising applications. The glossy solvent coating is specially designed for use in light boxes and is characterized by very high colour density and high colour contrast.</i>	210μ	762 mm 30 m	1 Rll. 1311500333	164,22	7,18
		36" 914 mm 5 m	1 Rll. 1311500430	40,62	8,89
		36" 914 mm 30 m	1 Rll. 1311500433	196,98	7,18
		42" 1.067 mm 30 m	1 Rll. 1311500513	229,95	7,18
		50" 1.270 mm 30 m	1 Rll. 1311500563	273,70	7,18
		54" 1.372 mm 30 m	1 Rll. 1311500593	295,69	7,18
		60" 1.524 mm 30 m	1 Rll. 1311500613	328,44	7,18
BackLight 200M					
Translucent PET Backlight-Film, satin					
<i>Translucent PET Backlight-Film for sophisticated graphic applications. The satin solvent coating was specially developed for use in light boxes and is characterized by very high color density and color contrast.</i>	200μ	36" 914 mm 3 m	1 Rll. 1311200430	26,05	9,50
		42" 1.067 mm 30 m	1 Rll. 1311200513	212,22	6,63
		54" 1.372 mm 30 m	1 Rll. 1311200593	272,88	6,63
		60" 1.524 mm 30 m	1 Rll. 1311200613	303,11	6,63

Product and description	Data	Prices in €						
		per unit	per m ²					
Solvent Vinyls								
Monomeric Films								
VF3000								
Glossy monomeric vinyl film B1								
<i>Glossy white monomeric vinyl film, 4 year working life, permanent clear adhesive for flat substrates, suitable for indoor and outdoor use, certified fire-retardant according to DIN 4102-B1 on FOREX Classic.</i>	100μ	1.050 mm	50 m	1 Rll.	1320311515	141,49	2,70	
		54"	1.372 mm	50 m	1 Rll.	1320311595	184,88	2,70
		60"	1.524 mm	50 m	1 Rll.	1320311615	205,36	2,70
VF3100								
Glossy monomer PVC Film								
<i>White matt PVC monomere film with a permanent clear adhesive, durability for about 4 years, for plane in- and outdoor applications.</i>	100μ	1.050 mm	50 m	1 Rll.	1320301515	141,49	2,70	
		54"	1.372 mm	50 m	1 Rll.	1320301595	184,88	2,70
		60"	1.524 mm	50 m	1 Rll.	1320301615	205,36	2,70
VF3011								
Glossy monomeric vinyl film B1								
<i>Glossy white monomeric vinyl film, 4 year working life, grey adhesive is removable leaving no residue, certified fire-retardant according to DIN 4102-B1 on FOREX Classic.</i>	100μ	1.050 mm	50 m	1 Rll.	1320002515	147,26	2,81	
		54"	1.372 mm	50 m	1 Rll.	1320002595	192,42	2,81
		60"	1.524 mm	50 m	1 Rll.	1320002615	213,74	2,81
			1.600 mm	50 m	1 Rll.	1320002625	224,40	2,81
VF3111								
Matt monomeric vinyl film B1								
<i>Matt white monomeric vinyl film, 4 year working life, grey adhesive is removable leaving no residue, certified fire-retardant according to DIN 4102-B1 on FOREX Classic.</i>	100μ	54"	1.372 mm	50 m	1 Rll.	1320003595	192,42	2,81

Product and description	Data	Prices in €	
		per unit	per m ²

Polymeric Films

 <p>VF5000 Glossy polymeric vinyl film B1 Glossy white polymeric vinyl film, 7 year working life, permanent clear adhesive for flat and slightly curved substrates, suitable for indoor and outdoor use, certified fire-retardant according to DIN 4102-B1 on FOREX Classic.</p>	70μ	54"	1.050 mm	50 m	1 Rll.	1321350515	275,63	5,25
		54"	1.372 mm	50 m	1 Rll.	1321350595	360,15	5,25
		60"	1.524 mm	50 m	1 Rll.	1321350615	400,05	5,25
 <p>VF5001 Glossy polymeric vinyl film B1 Glossy white polymeric vinyl film, 7 year working life, permanent grey adhesive for flat and slightly curved substrates, suitable for indoor and outdoor use, certified fire-retardant according to DIN 4102-B1 on FOREX Classic.</p>	70μ	54"	1.050 mm	50 m	1 Rll.	1320004515	275,63	5,25
		54"	1.372 mm	50 m	1 Rll.	1320004595	360,15	5,25
		60"	1.524 mm	50 m	1 Rll.	1320004615	400,05	5,25
 <p>VF5012 Glossy polymeric vinyl film B1 Glossy white polymeric vinyl film, 7 year working life, the "bubble free" grey adhesive is removable leaving no residue, for flat and slightly curved substrates, suitable for indoor and outdoor use, certified fire-retardant according to DIN 4102-B1 on FOREX Classic.</p>	70μ	54"	1.050 mm	50 m	1 Rll.	1321344515 ↑	412,26	7,85
		54"	1.372 mm	50 m	1 Rll.	1321344595 ↑	538,68	7,85
		60"	1.524 mm	50 m	1 Rll.	1321344615 ↑	598,36	7,85
 <p>VF9000 Frosty Matt polymer glass decorating film Matt polymer glass decorating film with a 7 year shelf-life, clear adhesive, for flat, clear surfaces such as glass doors, honeycomb-structure glue for simple, bubble-free gluing.</p>	80μ	54"	1.372 mm	50 m	1 Rll.	1321366595	655,45	9,55