





Product and description			Data			article no.		Prices in €			
								per unit	per m²		
Film											
RollUp 170S			170µ								
Satin PP-Display-Film, white back											
White satin tear resistant polypropylene film with water resistant coating for solvent and eco-solvent inks. Features high stability, print sharpness and colour brilliance.			3"		762 mm	40 m	1 RII.	1315020334	↑	262,01	8,60
			3"	36"	914 mm	5 m	1 RII.	1315020430	↑	50,45	11,04
			3"		841 mm	40 m	1 RII.	1315020364	↑	214,03	6,36
			3"	36"	914 mm	40 m	1 RII.	1315020434	↑	232,61	6,36
			3"	42"	1.067 mm	40 m	1 RII.	1315020514	↑	271,55	6,36
3"	54"	1.372 mm	40 m	1 RII.	1315020594	↑	349,17	6,36			
RollUp 250S			275µ								
Roll-Up satin, grey back,											
Silk-matt PP banner, waterproof and opaque with grey reverse side, ideal for mobile roll-up displays, suitable for solvent and latex, very good colour brilliance and excellent flatness, high image definition and long durability without colour loss.			3"	36"	914 mm	5 m	1 RII.	1316120430	↑	46,40	10,15
			3"	36"	914 mm	40 m	1 RII.	1316120434	↑	282,67	7,73
			3"	42"	1.067 mm	40 m	1 RII.	1316120514	↑	329,98	7,73
RollUp Silver 175M			175µ								
Professional Stoplight RollUp-Film, satin											
Matt coated polyester film for premium RollUp displays. Very good flatness and good colour brilliance, silver back side.			3"	36"	914 mm	3 m	1 RII.	1315802430	↑	39,57	14,43
			3"	36"	914 mm	30 m	1 RII.	1315802433	↑	272,15	9,93
			3"	42"	1.067 mm	30 m	1 RII.	1315802513	↑	317,71	9,93
			3"	50"	1.270 mm	30 m	1 RII.	1315802563	↑	378,15	9,93
PopUp 320S			310µ								
Satin coated PET-Blockout-Film											
Satin coated PET-Film for solvent and latex inks, very good opacity, developed for highly effective PopUp-Displays, very good color brilliance, tear-proof Polyester, suitable for high drying temperatures.			3"	36"	914 mm	5 m	1 RII.	1316900430	↑	75,45	16,51
			3"	36"	914 mm	20 m	1 RII.	1316900432	↑	235,88	12,90
PopUp 430S B1			450µ								
Silk matte, hard PVC Stoplight Film											
Extra strong, opaque substrate made of hard PVC with a matte white, low-reflection surface, especially suited for mobile pop-up displays with high, ad-effective colour brilliance. Certified as highly flame-resistant, in accordance with DIN 4012-1 (B1).			3"	36"	914 mm	20 m	1 RII.	1317110432	↑	313,41	17,14
			3"	42"	1.067 mm	20 m	1 RII.	1317110512	↑	365,87	17,14
			3"	60"	1.520 mm	20 m	1 RII.	1317110612	↑	521,21	17,14

Product and description		Data		article no.		Prices in €			
						per unit	per m²		
 <b>ClearPrint 190 plus</b> <b>Crystal clear polyester film</b> <i>Crystal clear polyester film, printable unilaterally with high resolution. Fulfills highest requirements in photo reproduction for shop window advertising and glass decorations. Brilliant and dynamic colour rendering, tear-resistant, dimension-stable and good flatness.</i>	<b>190µ</b>								
	3"	30"	760 mm	30 m	1 RII.	1318000333	↑	<b>331,81</b>	<b>14,55</b>
	3"	36"	914 mm	30 m	1 RII.	1318000433	↑	<b>345,62</b>	<b>12,60</b>
	3"	42"	1.067 mm	30 m	1 RII.	1318000513	↑	<b>403,47</b>	<b>12,60</b>
	3"	50"	1.270 mm	30 m	1 RII.	1318000563	↑	<b>480,24</b>	<b>12,60</b>
	3"	54"	1.370 mm	30 m	1 RII.	1318000593	↑	<b>518,05</b>	<b>12,60</b>
	3"	60"	1.520 mm	30 m	1 RII.	1318000613	↑	<b>12,60</b>	<b>0,28</b>
 <b>ClearPrint SK</b> <b>Solvent PET clear film selfadhesive</b> <i>Polyester Clear Film, glossy, self adhesive, for glass decoration and shop window advertisement. Single side coated, good scratch resistance, non-buckling. Brilliant colour reproduction.</i>	<b>75µ</b>								
	3"	24"	610 mm	5 m	1 RII.	1318200250	↑	<b>63,92</b>	<b>20,96</b>
	3"	24"	610 mm	20 m	1 RII.	1318200252	↑	<b>202,33</b>	<b>16,58</b>
	3"	42"	1.067 mm	20 m	1 RII.	1318200512	↑	<b>353,91</b>	<b>16,58</b>
	3"	54"	1.370 mm	20 m	1 RII.	1318200592	↑	<b>454,41</b>	<b>16,58</b>
 <b>BackLight 210G</b> <b>Transluzent Backlight-Film, glossy</b> <i>Translucent PET-Backlight Film for demanding graphic and advertising applications. The glossy solvent coating is specially designed for use in light boxes and is characterized by very high colour density and high colour contrast.</i>	<b>210µ</b>								
	3"		762 mm	30 m	1 RII.	1311500333	↑	<b>223,25</b>	<b>9,77</b>
	3"	36"	914 mm	5 m	1 RII.	1311500430	↑	<b>56,78</b>	<b>12,42</b>
	3"	36"	914 mm	30 m	1 RII.	1311500433	↑	<b>267,78</b>	<b>9,77</b>
	3"	42"	1.067 mm	30 m	1 RII.	1311500513	↑	<b>312,60</b>	<b>9,77</b>
	3"	50"	1.270 mm	30 m	1 RII.	1311500563	↑	<b>372,08</b>	<b>9,77</b>
	3"	54"	1.372 mm	30 m	1 RII.	1311500593	↑	<b>401,96</b>	<b>9,77</b>
3"	60"	1.524 mm	30 m	1 RII.	1311500613	↑	<b>446,49</b>	<b>9,77</b>	
 <b>BackLight 200M</b> <b>Transluzent PET Backlight-Film, satin</b> <i>Translucent PET Backlight-Film for sophisticated graphic applications. The satin solvent coating was specially developed for use in light boxes and is characterized by very high color density and color contrast.</i>	<b>200µ</b>								
	3"	36"	914 mm	3 m	1 RII.	1311200430	↑	<b>29,68</b>	<b>10,82</b>
	3"	42"	1.067 mm	30 m	1 RII.	1311200513	↑	<b>231,59</b>	<b>7,23</b>
	3"	54"	1.372 mm	30 m	1 RII.	1311200593	↑	<b>297,78</b>	<b>7,23</b>
	3"	60"	1.524 mm	30 m	1 RII.	1311200613	↑	<b>330,78</b>	<b>7,23</b>

Product and description	Data	article no.	Prices in €	
			per unit	per m <sup>2</sup>

## Film Adh - Vinyl

### Monomeric Films



#### **ORAJET® 3164 G (VF3000)** **Glossy monomeric vinyl film B1**

**100µ**

Glossy white monomeric vinyl film, 4 year working life, permanent clear adhesive for flat substrates, suitable for indoor and outdoor use, certified fire-retardant according to DIN 4102-B1

3"	1.050 mm	50 m	1 RII.	1320311515	↑	159,10	3,03
3"	1.260 mm	50 m	1 RII.	1320311555	↑	190,92	3,03
3"	1.370 mm	50 m	1 RII.	1320311595	↑	207,59	3,03
3"	1.520 mm	50 m	1 RII.	1320311615	↑	230,32	3,03
3"	1.600 mm	50 m	1 RII.	1320311625	↑	242,44	3,03
3"	2.000 mm	50 m	1 RII.	1320311765	↑	303,05	3,03



#### **ORAJET® 3164 M - (VF3100)** **Glossy monomer PVC Film B1**

**100µ**

White matt PVC monomere film with a permanent clear adhesive, durability for about 4 years, for plane in- and outdoor applications, certified fire-retardant according to DIN 4102-B1

3"	760 mm	50 m	1 RII.	1320301335	↑	115,16	3,03
3"	1.050 mm	50 m	1 RII.	1320301515	↑	159,10	3,03
3"	1.260 mm	50 m	1 RII.	1320301555	↑	190,92	3,03
3"	1.370 mm	50 m	1 RII.	1320301595	↑	207,59	3,03
3"	1.520 mm	50 m	1 RII.	1320301615	↑	230,32	3,03
3"	1.600 mm	50 m	1 RII.	1320301625	↑	242,44	3,03
3"	2.000 mm	50 m	1 RII.	1320301765	↑	303,05	3,03



#### **ORAJET® 3162 X G - (VF3011)** **Glossy monomeric vinyl film B1**

**100µ**

Glossy white monomeric vinyl film, 4 year working life, grey adhesive is removable leaving no residue, for plane in- and outdoor applications, certified fire-retardant according to DIN 4102-B1

3"	760 mm	50 m	1 RII.	1320002335	↑	115,16	3,03
3"	1.050 mm	50 m	1 RII.	1320002515	↑	159,10	3,03
3"	1.260 mm	50 m	1 RII.	1320002555	↑	190,92	3,03
3"	1.370 mm	50 m	1 RII.	1320002595	↑	207,59	3,03
3"	1.520 mm	50 m	1 RII.	1320002615	↑	230,32	3,03
3"	1.600 mm	50 m	1 RII.	1320002625	↑	242,44	3,03
3"	2.000 mm	50 m	1 RII.	1320002765	↑	303,05	3,03









#### **ORAJET® 3162 X M - (VF3111)** **Matt monomeric vinyl film B1**

**100µ**

Matt white monomeric vinyl film, 4 year working life, grey adhesive is removable leaving no residue, for plane in- and outdoor applications, certified fire-retardant according to DIN 4102-B1

3"	760 mm	50 m	1 RII.	1320003335	↑	115,16	3,03
3"	1.050 mm	50 m	1 RII.	1320003515	↑	159,10	3,03
3"	1.260 mm	50 m	1 RII.	1320003555	↑	190,92	3,03
3"	1.370 mm	50 m	1 RII.	1320003595	↑	207,59	3,03
3"	1.520 mm	50 m	1 RII.	1320003615	↑	230,32	3,03
3"	1.600 mm	50 m	1 RII.	1320003625	↑	242,44	3,03
3"	2.000 mm	50 m	1 RII.	1320003765	↑	303,05	3,03

Product and description		Data		article no.		Prices in €			
						per unit	per m²		
Polymeric Films									
	<b>ORAJET® 3550 G - (VF5000)</b>	<b>70µ</b>							
<b>Glossy polymeric vinyl film B1</b>									
Glossy white polymeric vinyl film, 7 year working life,	3"	1.050 mm	50 m	1 RII.	1321350515	↑	335,91	6,40	
permanent clear adhesive for flat and slightly curved	3"	1.370 mm	50 m	1 RII.	1321350595	↑	438,29	6,40	
substrates, suitable for indoor and outdoor use,	3"	1.520 mm	50 m	1 RII.	1321350615	↑	486,28	6,40	
certified fire-retardant according to DIN 4102-B1	3"	1.600 mm	50 m	1 RII.	1321350625	↑	511,87	6,40	
	<b>ORAJET® 3551 G - (VF5001)</b>	<b>70µ</b>							
<b>Glossy polymeric vinyl film B1</b>									
Glossy white polymeric vinyl film, 7 year working life,	3"	760 mm	50 m	1 RII.	1321310335	↑	243,14	6,40	
permanent grey adhesive for flat and slightly curved	3"	1.050 mm	50 m	1 RII.	1321310515	↑	335,91	6,40	
substrates, suitable for indoor and outdoor use,	3"	1.370 mm	50 m	1 RII.	1321310595	↑	438,29	6,40	
certified fire-retardant according to DIN 4102-B1	3"	1.520 mm	50 m	1 RII.	1321310615	↑	486,28	6,40	
	3"	1.600 mm	50 m	1 RII.	1321310625	↑	511,87	6,40	
	<b>ORAJET® 3551 M</b>	<b>70µ</b>							
<b>Glossy polymeric vinyl film B1</b>									
Matt white polymeric vinyl film, 7 year working life,	3"	760 mm	50 m	1 RII.	1321320335	↑	243,14	6,40	
permanent grey adhesive for flat and slightly curved	3"	1.370 mm	50 m	1 RII.	1321320595	↑	438,29	6,40	
substrates, suitable for indoor and outdoor use,	3"	1.520 mm	50 m	1 RII.	1321320615	↑	486,28	6,40	
certified fire-retardant according to DIN 4102-B1									
	<b>ORAJET® 3551 G "RapidAir"</b>	<b>70µ</b>							
<b>Glossy polymeric vinyl film B1</b>									
Glossy white polymeric vinyl film, 7 year working life,	3"	760 mm	50 m	1 RII.	1321410335	↑	280,34	7,38	
repositionable permanent grey "RapidAir" adhesive for	3"	1.050 mm	50 m	1 RII.	1321410515	↑	387,32	7,38	
flat and slightly curved substrates, suitable for indoor	3"	1.370 mm	50 m	1 RII.	1321410595	↑	505,36	7,38	
and outdoor use, certified fire-retardant according to	3"	1.520 mm	50 m	1 RII.	1321410615	↑	560,69	7,38	
DIN 4102-B1	3"	1.600 mm	50 m	1 RII.	1321410625	↑	590,20	7,38	
	<b>ORAJET® 3551 M "RapidAir"</b>	<b>70µ</b>							
<b>Glossy polymeric vinyl film B1</b>									
Matt white polymeric vinyl film, 7 year working life,	3"	760 mm	50 m	1 RII.	1321420335	↑	280,34	7,38	
repositionable permanent grey "RapidAir" adhesive for	3"	1.050 mm	50 m	1 RII.	1321420515	↑	387,32	7,38	
flat and slightly curved substrates, suitable for indoor	3"	1.370 mm	50 m	1 RII.	1321420595	↑	505,36	7,38	
and outdoor use, certified fire-retardant according to	3"	1.520 mm	50 m	1 RII.	1321420615	↑	560,69	7,38	
DIN 4102-B1	3"	1.600 mm	50 m	1 RII.	1321420625	↑	590,20	7,38	
	<b>VF9000 Frosty</b>	<b>80µ</b>							
<b>Matt polymer glass decorating film</b>									
Matt polymer glass decorating film with a 7 year shelf-	3"	54"	1.372 mm	50 m	1 RII.	1321366595	↑	678,11	9,88
life, clear adhesive, for flat, clear surfaces such as									
glass doors, honeycomb-structure glue for simple,									
bubble-free gluing.									